



AquaJet

OWNER'S MANUAL
THE ULTIMATE PURIFICATION SYSTEM

RITELLO[®]

R E N A I S S A N C E E D I T I O N

The AQUAJET is only available as an OPTIONAL accessory.

READ YOUR OWNER'S MANUAL CAREFULLY

Inside this manual you will find helpful information on how to maintain your AquaJet in its best working condition.

TROUBLESHOOTING TIPS

You will be able to solve most common issues by following simple instructions in the troubleshooting section.

CUSTOMER SERVICE


In case you find yourself unable to find answers in the troubleshooting section, do not hesitate to contact the local distributor from whom you purchased your Ritello. Contact information may be found on the back cover of this manual. Or, you may then contact our Headquarters via www.librex.com or info@librex.com

RITELLO CUSTOMER IDENTIFICATION NUMBER

After Ritello goes through the quality control check at the factory, it is then serial numbered for the following purposes:

- . ***OWNERSHIP** identification*
- . ***WARRANTY** identification for your distributor*
- . ***ASSURANCE** of passing quality control and is a genuine Librex product.*

All new Ritellos should be sold with a serial number at the location shown at the accompanying diagram. If the number is missing, Librex makes no claim as to the origin, age, or condition of the unit.



If you cannot find the serial number, please contact our Customer Service Department at:

Tel: (00961) 1 87 87 24 **Fax:** (00961) 1 87 85 30 **Email:** info@librex.com


FIRE, ELECTRICAL SHOCK OR INJURY

1. Do not leave appliance when plugged in. Unplug from outlet when not in use and before servicing.
2. To reduce the electrical risk, use indoors only.
3. To avoid electrical risk and to reduce risk of fire, use only Ritello cleaning products intended for use with this appliance.
4. To avoid risk of electrical shock, use only the hose supplied with the Ritello for wet pickup operations. See Ritello owner's manual. Do not modify the electrified plug in any way.
5. The AquaJet contains an electric pump and power cord/tubes. To avoid risk of electrical shock, DO NOT immerse the electric tubes in water while operating or cleaning it.

IMPORTANT

6. The AquaJet tank is designed to use only clean, cold tap water. To avoid damage to the AquaJet, do not place any of the following into the water tank:
 - *Hot water or liquids.*
 - *Detergents of any kind, use only Ritello Shampoo.*
 - *Commercially available cleaning liquids or compounds.*
7. Use only AquaJet Concentrate Solution.
8. Ensure the carpet has thoroughly dried before using the Ritello PowerBrush to vacuum.
9. Do not use the AquaJet when the clean water tank is empty. This could result in damage to the pump.
10. For further safety instructions, refer to Ritello Owner's Manual.

SERVICING OF DOUBLE-INSULATED APPLIANCE

In a double-insulated appliance, two systems of insulation are provided instead of grounding. No grounding means is provided on a double-insulated appliance, nor should a means for grounding be added to the appliance. Servicing a double-insulated appliance requires extreme care and knowledge of the system and should be done only by qualified Ritello service personnel. Replacement parts for a double-insulated appliance must be identical to the parts they replace. A double-insulated appliance is marked with the words "DOUBLE-INSULATION" or "DOUBLE-INSULATED." The Symbol (square within a square ) may also be marked on the appliance. Any servicing other than cleaning should be performed by an Authorized Ritello Distributor or Service Center.

SAVE THESE INSTRUCTIONS

THIS APPLIANCE IS INTENDED FOR HOUSEHOLD USE ONLY.

USE THE AQUAJET ONLY AS DIRECTED IN THIS OWNER'S MANUAL.

1. AquaJet
 2. AquaJet Tank
 3. Stainless Steel Wands★
 4. Ritello Hose★
 5. Ritello Main Unit★
 6. Ritello Dolly & Water Basin★
 7. AquaJet Nozzle
- ★ (Not included with the AquaJet box)

The **AquaJet** carpet cleaner can help remove tough stains. Use the Ritello Carpet Cleaning solution with the AquaJet for superior cleaning results.



1



⚠ CAUTION: Do not use the AquaJet on hardwood floors, laminates, marble, Persian and Oriental rugs or other surfaces that may be vulnerable to water damage or can be easily scratched.

Start by attaching the AquaJet body onto the AquaJet Nozzle, press downward until the button lock clicks.



To Fill the Tank, remove it by pulling it towards you first and then upwards.



Fill the Tank with Pure Water.



Fill 50ml/16oz. (few capfuls) of Ritello Shampoo.



Insert Upper Wand into the AquaJet Wand, press downward until the button lock clicks.



Insert the Hose Pistol into the Upper Wand.



Turn the AquaJet Pump by pressing the red button ON.



Squeeze the pistol trigger and apply solution to the floor; roll slowly forward and backward across the floor.



To clean hard surfaces, attach the Squeegee/Rubber piece onto the AquaJet Nozzle.



When finished cleaning, empty and rinse the water tank. Allow to dry.



1. VACUUM THE CARPET THOROUGHLY

- a. Use the Ritello and PowerBrush to vacuum the entire area to be cleaned, making sure there is no remaining dirt on the surface.
- b. Empty and rinse the Main Unit's water basin. Refill only 1 liter.



2. PREPARE THE AQUAJET

- a. Begin with 1 liter of water in the Ritello Main Unit basin. Attach the Ritello and dolly. Attach the hose and wands.
- b. Insert the bottom wand with male end into the opening located on top of the AquaJet Nozzle. Press downward until button lock clicks.
- c. Add few capfuls of Ritello AquaJet Concentrate Solution to the AquaJet reservoir.
- d. Fill the remainder of the AquaJet reservoir with cool, clean tap water and secure the cap tightly.
- e. Place the AquaJet tank onto the AquaJet body until you feel it locked into place.

3. SHAMPOO

- a. Turn the Pump ON. Then, squeeze the pistol trigger and apply solution to the carpet using slow forward and backward movements across the floor. Release the pistol trigger when scrubbing the floor.

4. EXTRACT

- a. Turn your Ritello Main Unit ON.
- b. Extract the remaining water & soap from the carpet using very slow backward movements. To remove all soap residues, simply add more water in the AquaJet tank and rinse the floor, then extract the water.
- c. For extra dry carpet, go over the entire area a second time.
- d. When finished cleaning, empty and rinse the water basin. Allow to dry.

RINSE THE AQUAJET TANK

Prior to storage, the AquaJet Tank may require rinsing, which may take approximately 30 seconds.

1. Make sure to refill the water tank with pure water only (no soap)
2. Squeeze the handle (pistol) trigger and allow water to rinse and flush away any Soap residue remaining in its Tank or Tubes

STORAGE & MAINTENANCE

- The clear plastic lens located on the front of the AquaJet Nozzle can be removed for cleaning between uses.
- To clean water from wands, run Ritello for 30 seconds.
- NEVER store the AquaJet with water or soap in the tank.
- Prior to storing the AquaJet, empty the tank and suck any residual water from it.
- Always turn the Pump “off” when the AquaJet is not in use.

TROUBLESHOOTING GUIDE

PROBLEM	SOLUTION
AquaJet Not Spraying	<ul style="list-style-type: none">• Check if pump is ON• Check if AquaJet is properly installed• Rinse water through pump, it is possible that pump is clogged with soap• Contact your local Ritello distributor
AquaJet Not Extracting Water	<ul style="list-style-type: none">• Check if any debris clogging the intake• Check if hose or wands are clogged• Make sure the Ritello Main Unit is on full speed

Contact your local authorized Ritello Distributor for advice on caring for your AquaJet, warranty coverage, replacement parts and service information.

NAME

ADDRESS

CITY

COUNTRY

TELEPHONE

EMAIL

POSTAL CODE



PLEASE VISIT OUR WEBSITE
info@librex.com
www.librex.com

Order Code: RAOME2015
L-MSPROM-001
ID: 07-07-2016

COPYRIGHT (c) 2016, Librex Inc.